

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS&R	L1	6963	((385/129-132,14) or (438/31-32)).CCLS.	US-PGPUB; USPAT	2007/1 0/27 15:21			
2	BRS	L2	76875	(air or gas) near3 (hole or holes or void or voids or trench or trenches)	US-PGPUB; USPAT	2007/1 0/27 15:21			
3	BRS	L3	260	L1 and L2	US-PGPUB; USPAT	2007/1 0/27 15:21			
4	BRS	L4	8947	(aspect adj ratio) near5 (hole or holes or void or voids or trench or trenches)	US-PGPUB; USPAT	2007/1 0/27 15:21			
5	BRS	L5	26	L1 and L4	US-PGPUB; USPAT	2007/1 0/27 15:21			
6	BRS	L6	279	L3 or L5	US-PGPUB; USPAT	2007/1 0/27 15:21			
7	BRS	L7	19	(L2 and L4).ti,ab.	US-PGPUB; USPAT	2007/1 0/27 15:21			
8	BRS	L8	175	L2 same L4	US-PGPUB; USPAT	2007/1 0/27 15:21			
9	BRS	L9	4	L8 and "385"/\$.ccls.	US-PGPUB; USPAT	2007/1 0/27 15:21			
10	BRS	L10	78	L8 and "438"/\$.ccls.	US-PGPUB; USPAT	2007/1 0/27 15:21			

107765309

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
11	BRS	L11	14	L8 and (waveguide or waveguides).ti,ab,clm.	US-PGPUB; USPAT	2007/10/27 15:21			
12	BRS	L12	96	L7 or L9 or L10 or L11	US-PGPUB; USPAT	2007/10/27 15:21			
13	BRS	L13	372	L6 or L12	US-PGPUB; USPAT	2007/10/27 15:21			
14	BRS	L14	26	L13 and @pd>"20070510"	US-PGPUB; USPAT	2007/10/27 15:21			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	0	(core and (aspect adj ratio) and grating and ((first or 1st) adj3' order)) .clm.	US-PGPUB	2007/1 0/27 16:10			